

NEXT GENERATION TAIL LIGHT SERIES



A range of matchless, characteristic, unique IZE LED tail lights with revolutionary functions. The tail lights are slim with top modern functions such as dynamic indicator, dynamic start up light and it comes with the classic chrome ring.



strands[®]
-lighting division



Part No. 800606 (LEFT), 800607 (RIGHT)
IZE LED TAIL LIGHT 3 FUNCTIONS LED



Part No. 800600
IZE LED TAIL LIGHT 2 FUNCTIONS LED



Part No. 800609
IZE LED TAIL LIGHT 2 FUNCTIONS LED



Part No. 800601
IZE LED TAIL LIGHT 1 FUNCTION LED

PART NO.	800606 (LEFT), 800607 (RIGHT)	800600	800609	800601
VOLTAGE	10-30V DC	10-30V DC	10-30V DC	10-30V DC
FUNCTIONS	Tail with dynamic start up function, brake, dynamic indicator	Tail, brake	Reverse, fog	Indicator
IP-CLASS	IP67	IP67	IP67	IP67
CABLE LENGTH	2500mm	2500mm	2500mm	2500mm
DEPTH	15,31/44/49mm	15,31/44/49mm	15,31/44/49mm	15,31/44/49mm
DIAMETER	155/162,3mm	155/162,3mm	155/162,3mm	155/162,3mm
E-APPROVED	ECE R6, R7, R48 type D	ECE R7	ECE R23, R38	ECE R6
EMC-CERTIFICAT	ECE R10	ECE R10	ECE R10	ECE R10


Part No. 800606 (LEFT), 800607 (RIGHT)

IZE LED TAIL LIGHT 3 FUNCTIONS LED

Voltage	10-30V DC
Functions	Tail with dynamic start up function, brake, dynamic indicator
IP-class	IP67
Cable length	2500mm
Depth	15,31/44/49mm
Diameter	155/162,3mm
E-approved	ECE R6, R7, R48 type D
EMC-certificate	ECE R10



TECHNICAL DRAWING



DYNAMIC START UP



DYNAMIC INDICATOR





| strands®
-lighting division